

anti- ACPP antibody

Product Information

Catalog No.: FNab00102

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 8D6
IsoType: IgG2a

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

A non-specific tyrosine phosphatase that dephosphorylates a diverse number of substrates under acidic conditions(pH 4-6) including alkyl, aryl, and acyl orthophosphate monoesters and phosphorylated proteins. Has lipid phosphatase activity and inactivates lysophosphatidic acid in seminal plasma. Isoform 2: the cellular form also has ecto-5'-nucleotidase activity in dorsal root ganglion(DRG) neurons. Generates adenosine from AMP which acts as a pain suppressor. Acts as a tumor suppressor of prostate cancer through dephosphorylation of ERBB2 and deactivation of MAPK-mediated signaling.

Immunogen information

Immunogen: acid phosphatase, prostate

Synonyms: Acid phosphatase, prostate, ACP 3, ACP3, ACPP, PAP, Prostatic acid

phosphatase

Observed MW: 48 kDa UniprotID: P15309

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Reactivity: Human, rat


Tested Application: ELISA, WB, IHC

Recommended dilution: WB: 1:200-1:2000; IHC: 1:20-1:200

Image:



Immunohistochemistry of paraffin-embedded human prostate hyperplasia using FNab00102(ACPP antibody) at dilution of 1:50



human testis tissue were subjected to SDS PAGE followed by western blot with FNab00102(ACPP antibody) at dilution of 1:400