

## anti- ASCC2 antibody

### Product Information

Catalog No.:	FNab00628
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Enhances NF-kappa-B, SRF and AP1 transactivation.

### Immunogen information

Immunogen:	activating signal cointegrator 1 complex subunit 2
Synonyms:	ASC 1 complex subunit p100, ASC1p100, ASCC2, Trip4 complex subunit p100
Observed MW:	90-100 kDa
Uniprot ID :	Q9H1I8

### Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, IHC, IF, WB, FC, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:10-1:100
Image:	


### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889

[www.fn-test.com](http://www.fn-test.com)




Immunohistochemistry of paraffin-embedded human colon cancer using FNab00628(ASCC2 antibody) at dilution of 1:100



Immunofluorescent analysis of HepG2 cells, using FNab00628(ASCC2 antibody) at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).

IP Result of anti-ASCC2 (IP:FNab00628, 4ug;  
Detection:FNab00628 1:1000) with HeLa cells  
lysate 2640ug.



HeLa cells were subjected to SDS PAGE followed  
by western blot with FNab00628(ASCC2  
Antibody) at dilution of 1:1000

