

anti- AXL antibody

Product Information

Catalog No.: FNab00754

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Receptor tyrosine kinase that transduces signals from the extracellular matrix into the cytoplasm by binding growth factor GAS6 and which is thus regulating many physiological processes including cell survival, cell proliferation, migration and differentiation. Ligand binding at the cell surface induces dimerization and autophosphorylation of AXL. Following activation by ligand, ALX binds and induces tyrosine phosphorylation of PI3-kinase subunits PIK3R1, PIK3R2 and PIK3R3; but also GRB2, PLCG1, LCK and PTPN11. Other downstream substrate candidates for AXL are CBL, NCK2, SOCS1 and TNS2. Recruitment of GRB2 and phosphatidylinositol 3 kinase regulatory subunits by AXL leads to the downstream activation of the AKT kinase. GAS6/AXL signaling plays a role in various processes such as endothelial cell survival during acidification by preventing apoptosis, optimal cytokine signaling during human natural killer cell development, hepatic regeneration, gonadotropin-releasing hormone neuron survival and migration, platelet activation, or regulation of thrombotic responses. Plays also an important role in inhibition of Toll-like receptors(TLRs)-mediated innate immune response. (Microbial infection) Acts as a receptor for lassa virus and lymphocytic choriomeningitis virus, possibly through GAS6 binding to phosphatidyl-serine at the surface of virionenvelope(PubMed:22156524, PubMed:22673088, PubMed:25277499, PubMed:21501828). Acts as a receptor for ebolavirus, possibly through GAS6 binding to phosphatidyl-serine at the surface of virionenvelope(PubMed:17005688).

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com



Immunogen information

Immunogen: AXL receptor tyrosine kinase

Synonyms: AXL, AXL oncogene, AXL receptor tyrosine kinase, JTK11, UFO


Observed MW: 140 kDa UniprotID: P30530

Application

Reactivity: Human, Mouse, Rat Tested Application: ELISA, WB, IP, FC

Recommended dilution: WB: 1:500-1:3000; IP: 1:500-1:2000

Image:




IP Result of anti-AXL (IP:FNab00754, 5ug; Detection:FNab00754 1:1000) with HepG2 cells lysate 9000ug.

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)





HepG2 cells were subjected to SDS PAGE followed by western blot with FNab00754(AXL antibody) at dilution of 1:500