

## anti- CCS antibody

### Product Information

|               |   |
|---------------|---|
| Catalog No.:  | FNab01395   |
| Size:         | 100µg   |
| Form:         | liquid  |
| Purification: | Immunogen affinity purified   |
| Purity:       | ≥95% as determined by SDS-PAGE  |
| Host:         | Rabbit  |
| Clonality:    | polyclonal  |
| Clone ID:     | None  |
| IsoType:      | IgG   |
| Storage:      | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

### Background

Delivers copper to copper zinc superoxide dismutase(SOD1).

### Immunogen information

|              |   |
|--------------|---|
| Immunogen:   | copper chaperone for superoxide dismutase |
| Synonyms:    | None                                      |
| Observed MW: | 34 kDa, 84 kDa                            |
| Uniprot ID : | O14618                                    |

### Application

|                       |                                    |
|-----------------------|------------------------------------|
| Reactivity:           | Human                              |
| Tested Application:   | ELISA, WB, IP                      |
| Recommended dilution: | WB: 1:500-1:1000; IP: 1:200-1:1000 |
| Image:                |                                    |


### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889

[www.fn-test.com](http://www.fn-test.com)



IP Result of anti-CCS (IP:FNab01395, 3ug;  
Detection:FNab01395 1:1000) with HepG2 cells  
lysate 6000ug.



HepG2 cells were subjected to SDS PAGE  
followed by western blot with FNab01395(CCS  
antibody) at dilution of 1:1000