

# anti- CD46 antibody

#### **Product Information**

Catalog No.: FNab01485

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

### **Background**

Acts as a cofactor for complement factor I, a serine protease which protects autologous cells against complement-mediated injury by cleaving C3b and C4b deposited on host tissue. May be involved in the fusion of the spermatozoa with the oocyte during fertilization. Also acts as a costimulatory factor for T-cells which induces the differentiation of CD4+ into T-regulatory 1 cells. T-regulatory 1 cells suppress immune responses by secreting interleukin-10, and therefore are thought to prevent autoimmunity. (Microbial infection) A number of viral and bacterial pathogens seem to bind MCP in order to exploit its immune regulation property and directly induce an immunosuppressive phenotype in T-cells. Acts as a receptor for adenovirus subgroup B2 and Ad3, cultured measles virus and herpesvirus 6(PubMed:10972291, PubMed:12663806, PubMed:12724329, PubMed:12915534, PubMed:14566335, PubMed:15047806, PubMed:15078926, PubMed:15919905, PubMed:16254377). May act as a receptor for pathogenic bacteria Neisseria and Streptococcus pyogenes(PubMed:7708671, PubMed:9379894, PubMed:11260136, PubMed:11971006).

#### **Immunogen information**

Immunogen: CD46 molecule, complement regulatory protein

Synonyms: MCP, MIC10
Observed MW: 50-56 kDa

#### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>

1




Uniprot ID: P15529

## **Application**

Reactivity: Human, Mouse
Tested Application: ELISA, WB, IP


Recommended dilution: WB: 1:500-1:1000; IP: 1:200-1:1000

Image:



IP Result of anti-CD46 (IP:FNab01485, 4ug; Detection:FNab01485 1:1000) with A549 cells lysate 1800ug.





A549 cells were subjected to SDS PAGE followed by western blot with FNab01485(CD46 antibody) at dilution of 1:400