

## anti- CMIP antibody

### Product Information

Catalog No.:	FNab01787
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Plays a role in T-cell signaling pathway. Isoform 2 may play a role in T-helper 2(Th2) signaling pathway and seems to represent the first proximal signaling protein that links T-cell receptor-mediated signal to the activation of c-Maf Th2 specific factor.

### Immunogen information

Immunogen:	c-Maf-inducing protein
Synonyms:	KIAA1694, TCMIP
Observed MW:	75 kDa
UniprotID :	Q8IY22

### Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human testis using FNab01787(CMIP antibody) at dilution of 1:50



IP Result of anti-CMIP (IP:FNab01787, 4ug; Detection:FNab01787 1:300) with Raji cells lysate 2000ug.



Raji cells were subjected to SDS PAGE followed by western blot with FNab01787(CMIP antibody) at dilution of 1:400