

anti- FICD antibody

Product Information

Catalog No.:	FNab03128
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Adenylyltransferase that mediates the addition of adenosine 5'-monophosphate(AMP) to specific residues of target proteins. Able to inactivate Rho GTPases in vitro by adding AMP to RhoA, Rac and Cdc42. It is however unclear whether it inactivates GTPases in vivo and physiological substrates probably remain to be identified.

Immunogen information

Immunogen:	FIC domain containing
Synonyms:	HIP13, HYPE
Observed MW:	52 kDa
UniprotID :	Q9BVA6

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, IHC, WB
Recommended dilution:WB:	1:500-1:2000; IHC: 1:20-1:200


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com

Image:



Immunohistochemistry of paraffin-embedded human kidney tissue slide using FNab03128(FICD Antibody) at dilution of 1:50



A549 cells were subjected to SDS PAGE followed by western blot with FNab03128(FICD Antibody) at dilution of 1:600

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com