

anti- GGCX antibody

Product Information

Catalog No.: FNab03444

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Mediates the vitamin K-dependent carboxylation of glutamate residues to calcium-binding gamma-carboxyglutamate(Gla) residues with the concomitant conversion of the reduced hydroquinone form of vitamin K to vitamin K epoxide.

Immunogen information

Immunogen: gamma-glutamyl carboxylase

Synonyms: GC

Observed MW: 88 kDa UniprotID: P38435

Application

Reactivity: Human, Mouse, Rat Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200

Image:


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com

1





Immunohistochemistry of paraffin-embedded human liver using FNab03444(GGCX antibody) at dilution of 1:100




IP Result of anti-GGCX (IP:FNab03444, 4ug; Detection:FNab03444 1:2000) with mouse liver tissue lysate 4000ug.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>





MCF7 cells were subjected to SDS PAGE followed by western blot with FNab03444(GGCX antibody) at dilution of 1:2000

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com