

anti- GOT1 antibody

Product Information

Catalog No.: FNab03568

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 2F1
IsoType: IgG2a

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Biosynthesis of L-glutamate from L-aspartate or L-cysteine. Important regulator of levels of glutamate, the major excitatory neurotransmitter of the vertebrate central nervous system. Acts as a scavenger of glutamate in brain neuroprotection. The aspartate aminotransferase activity is involved in hepatic glucose synthesis during development and in adipocyte glyceroneogenesis. Using L-cysteine as substrate, regulates levels of mercaptopyruvate, an important source of hydrogen sulfide. Mercaptopyruvate is converted into H(2)S via the action of 3-mercaptopyruvate sulfurtransferase(3MST). Hydrogen sulfide is an important synaptic modulator and neuroprotectant in the brain.

Immunogen information

Immunogen: glutamic-oxaloacetic transaminase 1, soluble(aspartate aminotransferase

1)

Synonyms: AATC, CAT, GIG18, GOT1, Transaminase A

Observed MW: 43 kDa Uniprot ID: P17174

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Reactivity: Human


Tested Application: ELISA, WB, IHC

Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200

Image:



Immunohistochemistry of paraffin-embedded human liver cancer tissue slide using FNab03568(GOT1 Antibody) at dilution of 1:200



human brain tissue were subjected to SDS PAGE followed by western blot with FNab03568(GOT1 Antibody) at dilution of 1:1000