

anti- HECTD1 antibody

Product Information

Catalog No.:	FNab03818
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Probable E3 ubiquitin-protein ligase which accepts ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. May be required for development of the head mesenchyme and neural tube closure.

Immunogen information

Immunogen:	HECT domain containing 1
Synonyms:	KIAA1131
Observed MW:	290kd
UniprotID :	Q9ULT8

Application

Reactivity:	Human, Mouse
Tested Application:	ELISA, WB, IHC, IF, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200; IF: 1:20-1:200
Image:	


1

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human kidney using FNab03818(HECTD1 antibody) at dilution of 1:50



IP Result of anti-HECTD1 (IP:FNab03818, 5ug; Detection:FNab03818 1:500) with mouse brain tissue lysate 8000ug.



human brain tissue were subjected to SDS PAGE followed by western blot with FNab03818(HECTD1 antibody) at dilution of 1:500