

anti- Icam1 antibody

Product Information

Catalog No.:	FNab04099
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

ICAM proteins are ligands for the leukocyte adhesion protein LFA-1(integrin alpha-L/beta-2). During leukocyte trans-endothelial migration, ICAM1 engagement promotes the assembly of endothelial apical cups through ARHGEF26/SGEF and RHOG activation(By similarity).

Immunogen information

Immunogen:	intercellular adhesion molecule 1
Synonyms:	CD54, ICAM 1, Icam1, Ly 47, MALA 2
Observed MW:	85-95 kDa
Uniprot ID :	P13597

Application

Reactivity:	Mouse, Rat
Tested Application:	ELISA, IHC, WB
Recommended dilution:	WB: 1:1000-1:4000; IHC: 1:20-1:200
Image:	


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889

www.fn-test.com



Immunohistochemistry of paraffin-embedded mouse liver tissue slide using FNab04099(Icam1 Antibody) at dilution of 1:200



mouse brain tissue were subjected to SDS PAGE followed by western blot with FNab04099(Icam1 antibody) at dilution of 1:2000