

anti- MTCO2 antibody

Product Information

Catalog No.: FNab05393

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Cytochrome c oxidase is the component of the respiratory chain that catalyzes the reduction of oxygen to water. Subunits 1-3 form the functional core of the enzyme complex. Subunit 2 transfers the electrons from cytochrome c via its binuclear copper A center to the bimetallic center of the catalytic subunit 1.

Immunogen information

Immunogen: cytochrome c oxidase II

Synonyms: COII, mt-Co2

Observed MW: 25 kDa UniprotID: P00405

Application

Reactivity: Human, Mouse, Rat

Tested Application: ELISA, IHC, WB, IP, IF

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:50-1:500

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com


1



Image:




Immunohistochemistry of paraffin-embedded human colon cancer using FNab05393(COX2 antibody) at dilution of 1:50



IP Result of anti-MTCO2 (IP:FNab05393, 4ug; Detection:FNab05393 1:1000) with HeLa cells lysate 4000ug.





HepG2 cells were subjected to SDS PAGE followed by western blot with FNab05393(COX2 antibody) at dilution of 1:1000

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com