

anti- OSBPL3 antibody

Product Information

Catalog No.:	FNab06021
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Phosphoinositide-binding protein which associates with both cell and endoplasmic reticulum(ER) membranes(PubMed:16143324). Can bind to the ER membrane protein VAPA and recruit VAPA to plasma membrane sites, thus linking these intracellular compartments(PubMed:25447204). The ORP3-VAPA complex stimulates RRAS signaling which in turn attenuates integrin beta-1(ITGB1) activation at the cell surface(PubMed:18270267, PubMed:25447204). With VAPA, may regulate ER morphology(PubMed:16143324). Has a role in regulation of the actin cytoskeleton, cell polarity and cell adhesion(PubMed:18270267). Binds to phosphoinositides with preference for PI(3,4)P2 and PI(3,4,5)P3(PubMed:16143324). Also binds 25-hydroxycholesterol and cholesterol(PubMed:17428193).

Immunogen information

Immunogen:	oxysterol binding protein-like 3
Synonyms:	KIAA0704, ORP3, OSBP3
Observed MW:	101 kDa
UniprotID :	Q9H4L5

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com

Reactivity: Human, Mouse, Rat

Tested Application: ELISA, WB

Recommended dilution: WB: 1:500-1:2000

Image:



Y79 cells were subjected to SDS PAGE followed by western blot with FNab06021(OSBPL3 antibody) at dilution of 1:400

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com