

anti- P4HA2 antibody

Product Information

Catalog No.:	FNab06080
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	\geq 95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Catalyzes the post-translational formation of 4-hydroxyproline in-Xaa-Pro-Gly-sequences in collagens and other proteins.

Immunogen information

Immunogen:	prolyl 4-hydroxylase, alpha polypeptide II
Synonyms:	None
Observed MW:	61 kDa
UniprotID :	O15460

Application


Reactivity:	Human, Mouse, Rat	
Tested Application:	ELISA, WB, IHC, IP	
Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200		
Image:		

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>





Immunohistochemistry of paraffin-embedded human pancreas cancer using FNab06080(P4HA2 antibody) at dilution of 1:50

IP Result of anti-P4HA2 (IP:FNab06080, 4ug; Detection:FNab06080 1:1000) with HeLa cells lysate 1200ug.


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>



HeLa cells were subjected to SDS PAGE followed by western blot with FNab06080(P4HA2 antibody) at dilution of 1:500



Wuhan Fine Biotech Co., Ltd.

3

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206) Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>