

anti- PPIL1 antibody

Product Information

Catalog No.:	FNab06679
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

PPIases accelerate the folding of proteins. It catalyzes the cis-trans isomerization of proline imidic peptide bonds in oligopeptides. May be involved in pre-mRNA splicing.

Immunogen information

Immunogen:	peptidylprolylisomerase(cyclophilin)-like 1
Synonyms:	CYPL1
Observed MW:	18 kDa
UniprotID :	Q9Y3C6

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human colon cancer using FNab06679(PPIL1 antibody) at dilution of 1:100



IP Result of anti-PPIL1 (IP:FNab06679, 3ug; Detection:FNab06679 1:400) with NIH/3T3 cells lysate 1600ug.



NIH/3T3 cells were subjected to SDS PAGE followed by western blot with FNab06679(PPIL1 antibody) at dilution of 1:400