

anti- RNASEH2C antibody

Product Information

Catalog No.:	FNab07330
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Non catalytic subunit of RNase H2, an endonuclease that specifically degrades the RNA of RNA:DNA hybrids. Participates in DNA replication, possibly by mediating the removal of lagging-strand Okazaki fragment RNA primers during DNA replication. Mediates the excision of single ribonucleotides from DNA:RNA duplexes.

Immunogen information

Immunogen:	ribonuclease H2, subunit C
Synonyms:	AGS3, AYP1, Ribonuclease H2 subunit C, ribonuclease H2, subunit C, Ribonuclease HI subunit C, RNase H1 small subunit, RNase H2 subunit C, RNASEH2C
Observed MW:	20 kDa
UniprotID :	Q8TDP1

Application

Reactivity:	Human
Tested Application:	ELISA, WB, IHC, IP

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com

Recommended dilution: WB: 1:200-1:1000; IHC: 1:20-1:200; IP: 1:500-1:1000

Image:



Immunohistochemistry of paraffin-embedded human brain using FNab07330(RNASEH2C antibody) at dilution of 1:50




IP Result of anti-RNASEH2C (IP:FNab07330, 3ug; Detection:FNab07330 1:500) with HEK-293 cells lysate 3200ug.

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com



human testis tissue were subjected to SDS PAGE followed by western blot with FNab07330(RNASEH2C antibody) at dilution of 1:600