anti- SACM1L antibody

Product Information

Catalog No.:	FNab07576
Size:	100μg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20℃ for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Phosphoinositide phosphatase that hydrolyzes phosphatidylinositol 3-phosphate(PtdIns(3)P) and phosphatidylinositol 4-phosphate(PtdIns(4)P)(PubMed:24209621). Has low activity towards PtdIns(3,5)P2(By similarity).

Immunogen information

Immunogen:	SAC1 suppressor of actin mutations 1-like
Synonyms:	KIAA0851, SAC1, SACM1L
Observed MW:	60-67 kDa
Uniprot ID :	Q9NTJ5

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP, IF

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:50-1:500

Image:

1

Immunohistochemistry of paraffin-embedded human brain using FNab07576(SACM1L antibody) at dilution of 1:100

Immunofluorecent analysis of A549 cells using FNab07576(SACM1L antibody) at dilution of 1:50

IP result of SACM1L antibody(IP: FNab07576, 3μg; Detection: FNab07576, 1:1000) with mouse kidney tissue lysate 3000μg.

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275   Fax: (0086)027-87800889   www.fn-test.com

human kidney tissue were subjected to SDS PAGE followed by western blot with FNab07576(SACM1L antibody) at dilution of 1:1000

100kd
70kd
55kd
40kd
35kd
25kd
15kd
10kd