

anti- SKIV2L antibody

Product Information

| | |
|---------------|---|
| Catalog No.: | FNab07895 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

Background

Helicase; has ATPase activity. Component of the SKI complex which is thought to be involved in exosome-mediated RNA decay and associates with transcriptionally active genes in a manner dependent on PAF1 complex(PAF1C).

Immunogen information

| | |
|--------------|--|
| Immunogen: | superkillerviralicidic activity 2-like(<i>S. cerevisiae</i>) |
| Synonyms: | DDX13, SKI2W, SKIV2, W |
| Observed MW: | 138 kDa |
| UniprotID : | Q15477 |

Application


| | |
|-----------------------|------------------------------------|
| Reactivity: | Human, Mouse, Rat |
| Tested Application: | ELISA, WB, IP |
| Recommended dilution: | WB: 1:500-1:2000; IP: 1:200-1:2000 |
| Image: | |

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com



IP Result of anti-SKIV2L (IP:FNab07895, 4ug;
Detection:FNab07895 1:600) with HepG2 cells
lysate 3200ug.



HEK-293 cells were subjected to SDS PAGE
followed by western blot with
FNab07895(SKIV2L Antibody) at dilution of
1:600