

anti- SMARCC1 antibody

Product Information

| | |
|---------------|---|
| Catalog No.: | FNab08009 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

Background

The protein encoded by this gene is a member of the SWI/SNF family of proteins, whose members display helicase and ATPase activities and which are thought to regulate transcription of certain genes by altering the chromatin structure around those genes. The encoded protein is part of the large ATP-dependent chromatin remodeling complex SNF/SWI and contains a predicted leucine zipper motif typical of many transcription factors.

Immunogen information

| | |
|--------------|---|
| Immunogen: | SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 1 |
| Synonyms: | BAF155 |
| Observed MW: | 163 kDa |
| UniprotID : | Q92922 |

Application

| | |
|---------------------|--------------------|
| Reactivity: | Human |
| Tested Application: | ELISA, WB, IHC, IP |

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com

Recommended dilution: WB: 1:500 - 1:2000; IHC: 1:50 - 1:200; IP: 1:50 - 1:200

Image:



Immunohistochemistry of paraffin-embedded human kidney cancer using FNab08009(SMARCC1 antibody) at dilution of 1:100




IP Result of anti-SMARCC1 (IP:FNab08009, 4ug; Detection:FNab08009 1:600) with mouse brain tissue lysate 4000ug.

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com



K-562 cells were subjected to SDS PAGE followed by western blot with FNab08009(SMARCC1 antibody) at dilution of 1:1000