

## anti- STK33 antibody

### Product Information

Catalog No.:	FNab08334
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Serine/threonine protein kinase which phosphorylates VIME. May play a specific role in the dynamic behavior of the intermediate filament cytoskeleton by phosphorylation of VIME (By similarity). Not essential for the survival of KRAS-dependent AML cell lines.

### Immunogen information

Immunogen:	serine/threonine kinase 33
Synonyms:	None
Observed MW:	53 kDa
UniprotID :	Q9BYT3

### Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human pancreas cancer using FNab08334(STK33 antibody) at dilution of 1:100



IP Result of anti-STK33 (IP:FNab08334, 4ug; Detection:FNab08334 1:300) with HEK-293 cells lysate 880ug.



human kidney tissue were subjected to SDS PAGE followed by western blot with FNab08334(STK33 antibody) at dilution of 1:400