

## anti- STOM antibody

### Product Information

Catalog No.:	FNab08344
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Regulates ion channel activity and transmembrane ion transport.Regulates ASIC2 and ASIC3 channel activity.

### Immunogen information

Immunogen:	stomatin
Synonyms:	BND7, EPB7, EPB72, Protein 7.2b, STOM, stomatin
Observed MW:	32 kDa
UniprotID :	P27105

### Application


Reactivity:	Human
Tested Application:	ELISA, WB, IHC, IP, IF
Recommended dilution:	WB: 1:500-1:1000; IP: 1:200-1:1000; IHC : 1:20-1:200; IF : 1:10-1:100
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)




Immunohistochemistry of paraffin-embedded human lung cancer using FNab08344(STOM antibody) at dilution of 1:100



Immunofluorescent analysis of HeLa cells using FNab08344 (STOM antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L)



IP Result of anti-STOM (IP:FNab08344, 3ug; Detection:FNab08344 1:300) with HeLa cells lysate 2800ug.



human heart tissue were subjected to SDS PAGE followed by western blot with FNab08344(STOM antibody) at dilution of 1:600