

anti- Syndecan-3 antibody

Product Information

Catalog No.:	FNab08435
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

None

Immunogen information

Immunogen:	syndecan 3
Synonyms:	KIAA0468, N syndecan, SDC3, SDCN, SYND3, syndecan 3, Syndecan3
Observed MW:	70 kDa
UniprotID :	O75056

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IF, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:50-1:500; IF: 1:50-1:500
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com




Immunohistochemistry of paraffin-embedded human colon cancer tissue slide using FNab08435(SDC3 Antibody) at dilution of 1:200 heat mediated antigen retrieved with Tris-EDTA buffer(pH9).



Immunofluorescent analysis of MCF-7 cells, using FNab08435(SDC3 Antibody) at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP Result of anti-Syndecan-3 (IP:FNab08435, 4ug; Detection:FNab08435 1:1000) with mouse lung tissue lysate 4000ug.



A549 cells were subjected to SDS PAGE followed by western blot with FNab08435(SDC3 antibody) at dilution of 1:1000