

anti- UBLCP1 antibody

Product Information

Catalog No.: FNab09201

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Dephosphorylates 26S nuclear proteasomes, thereby decreasing their proteolytic activity. The dephosphorylation may prevent assembly of the core and regulatory particles(CP and RP) into mature 26S proteasome.

Immunogen information

Immunogen: ubiquitin-like domain containing CTD phosphatase 1

Synonyms: CPUB1, FLJ25267, UBLCP1

Observed MW: 37 kDa
Uniprot ID: Q8WVY7

Application

Reactivity: Human, Mouse, Rat

Tested Application: ELISA, WB, IHC, IF, IP

Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200; IP: 1:200-1:1000; IF: 1:20-1:200

Image:


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>

1





Immunohistochemistry of paraffin-embedded human ovary tumor using FNab09201(UBLCP1 antibody) at dilution of 1:50




IP Result of anti-UBLCP1 (IP:FNab09201, 3ug; Detection:FNab09201 1:500) with K-562 cells lysate 1760ug.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>





K-562 cells were subjected to SDS PAGE followed by western blot with FNab09201(UBLCP1 antibody) at dilution of 1:500

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>