

## anti- VDAC1 antibody

### Product Information

Catalog No.:	FNab09384
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

None

### Immunogen information

Immunogen:	voltage-dependent anion channel 1
Synonyms:	hVDAC1, Plasmalemmalporin, Porin, PORIN 31 HL, Porin 31HL, Porin 31HM, VDAC, VDAC 1, VDAC1
Observed MW:	31 kDa
UniprotID :	P21796

### Application


Reactivity:	human, mouse, rat
Tested Application:	ELISA, WB, IHC, FC, IP
Recommended dilution:	WB: 1:1000-1:6000; IP: 1:500-1:1000; IHC: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human heart using FNab09384(VDAC1 antibody) at dilution of 1:50



IP Result of anti-VDAC1/Porin (IP:FNab09384, 4ug; Detection:FNab09384 1:500) with A431 cells lysate 2400ug.



Hela cells were subjected to SDS PAGE followed by western blot with FNab09384(VDAC1 antibody) at dilution of 1:500

**Wuhan Fine Biotech Co., Ltd.**

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :( 0086)027-87384275

Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)